

Safety Data Sheet

1. IDENTIFICATION

Product Identifier GL0160, GL0804, GL0811, GL1542, GL1550, GL1605, GL1708, GL1764,

GL1767, GL1624, GL1626, GL1753, GL1812, GL1813 Glass

Other Means of Identification

SDS Number

Bioactive Glass

Product Code

GL0160, GL0804, GL0811, GL1542, GL1550, GL1605, GL1708, GL1764,

GL1624, GL1626, GL1753, GL1812, GL1813 Glass

Recommended Use

Not available. None known.

Recommended Restrictions Manufacturer/Importers/Supplier/Distributor Information

Manufacturer/Supplier

Mo-Sci Corporation, Mo-Sci Health Care, LLC, and Mo-Sci Specialty Products LLC

Address

4040 Hypoint North Rolla, MO, USA 65401

Telephone Number

573-364-2338

e-mail

mo-sci@mo-sci.com

Contact Person

Krista Grayson

Emergency Telephone Number

573-364-2338

2. HAZARD IDENTIFICATION

Physical hazards Not classified Health hazards Not classified **OSHA** defined hazards Not classified

Label elements None Hazard symbols None Signal word None **Hazard statement** None

Precautionary statement May irritate skin, eyes, mucous membranes. Prevention Observe good industrial hygiene practices.

Response Wash hands after handling. Storage

Store away from incompatible materials. Disposal

Dispose of in accordance with local regulations.

Hazard(s) not otherwise Classified (HNOC) None known

Glass is an amorphous fusion of materials whose constituents are tightly bound together and are in a specific chemical environment, totally different from the initial state (in raw materials) and from that occurring in simple compounds (metals or oxides). Under normal conditions, glass never gives metal or oxide as direct dissociation products. Under extreme conditions, only a tiny fraction of glass constituents could leach from the glass matrix into aqueous solutions.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| D/I | i | |
|-----|------|-----|
| IVI | ixtu | res |

| Chemical Name | CAS number | • |
|-------------------------|--|--------------------|
| Glass, Oxide, Chemicals | | % |
| Constituents | 65997-17-3 | 100 |
| Chemical Name | CAS number | SWEET TON LONG THE |
| Proprietary | CAS number | % |
| Composition comments | THE PERSON OF TH | |

Composition comments

Concentrations are in percent by weight unless ingredient is a gas.

Gas concentrations are in percent by volume.

Bioactive Glass Form S1000-04 Rev 6 Issue Date: 16-March-2018 Page 1

Revision Date: 19-July-2018

4. FIRST-AID MEASURES

Inhalation

If symptomatic, move to fresh air. Get medical attention if symptoms persist.

Skin Contact

Eve Contact

Wash with soap and water. Get medical attention if symptoms occur.

Material that contacts the eye should be washed out immediately with water. If easy

to do, remove contact lenses. Get medical attention if symptoms persist.

Ingestion

Seek medical advice.

Most Important Symptoms/Effects, Acute and Delayed

Direct contact with eyes may cause temporary irritation.

Indication of Immediate Medical Attention and Special Treatment Needed

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water, Water fog, Foam, Dry chemical, and Carbon dioxide (CO₂)

Unsuitable Extinguishing Media

None known

Specific Hazards Arising from the Chemical

None known

Special Protective Equipment and Precautions for Firefighters

Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.

Fire-fighting Equipment/Instructions

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective clothing as described in Section 8 of this SDS

Methods and Materials for Containment and Cleaning Up

Sweep or scoop up and remove.

For waste disposal, see Section 13 of the SDS

Environmental Precautions

Avoid discharge into drains, water courses or onto the ground.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Wear appropriate personal protective equipment (See Section 8).

Wash thoroughly after handling.

Observe good industrial hygiene practices.

Dust or powder: Use only with adequate ventilation.

Avoid breathing dust.

Conditions for Safe Storage, including any Incompatibilities

Store in a cool dry environment.

Store away from incompatible materials (See Section 10).

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

US OSHA Table z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Componento Timo | | |
|---|---|----------------------------------|
| Components Type | Value | Form |
| Dust (CAS-) PEL US OSHA Table Z-3 (29 CFR 1910.1000) | 5 mg/m ³ 15 mg/m ³ | Respirable fraction. Total dust. |
| | | |
| Components Type | Value | Form |

| Components | Туре | | |
|-------------|------|--|--|
| Dust (CAS-) | TWA | 5 mg/m³ 15 mg/m³ 50 millions of particles 15 millions of particles | Form Respirable fraction. Total dust. Total dust. Respirable fraction. |

US ACGIH Threshold Limit Values

| Components | Туре | | A CONTRACTOR OF THE PARTY OF TH |
|-------------|------|---|--|
| | | Value | Form |
| Dust (CAS-) | TWA | 3 mg/m ³ 10 mg/m ³ | Respirable particles. Total dust. |

Biological Limit Values

No biological exposure limits noted for the ingredient(s).

Appropriate Engineering Controls Ensure adequate ventilation, especially in confined areas.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection

Normal eye protection practices should be used. If dusty conditions exist, chemical goggles are recommended.

Bioactive Glass Form S1000-04 Rev 6

Issue Date: 16-March-2018

Page 2

Revision Date: 19-July-2018

Skin Protection

Hand Protection

Other

Regular work gloves.

Wear apron or protective clothing in case of contact. If contact with forearms is likely wear gauntlet style gloves.

Respiratory Protection

- If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved
- respirator must be worn.
- In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA 29 CFR 1910.134.
- Respirator type: Air-purifying respirator with an appropriate, government approved (where applicable), airpurifying filter, cartridge or canister. Contact health and safety professional or manufacturer for specific information.

Thermal Hazard **General Hygiene**

Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling

the material and before eating, drinking, or/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Solid.

Physical State

Solid.

Form Color

Solid, Glass. Clear. White. Pale blue.

Odor

Not available.

Odor Threshold

Not available.

pH (in water @25C)

Not available.

Melting Point/Freezing Point Softening Temperature

Not available. Not measured.

Initial Boiling Point and Boiling Range

Not applicable.

Flash Point

Not applicable.

Evaporation Rate

Not available.

Flammability (solid, gas)

Not applicable.

Upper/Lower Flammability or Explosive Limits

Flammability Limit-Lower (%) Flammability Limit-Upper (%)

Not applicable. Not applicable.

Vapor Pressure

Not available.

Vapor Density **Relative Density**

Not applicable. Not available.

Solubility

Solubility (water) **Partition Coefficient**

Soluble (rate not measured). No data available.

Auto-ignition Temperature Decomposition Temperature

Not applicable. Not applicable.

Viscosity

Not applicable.

Specific Gravity Refractive Index

Not measured. Not measured.

10. STABILITY AND REACTIVITY

Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transportation.

Chemical Stability

Stable under the prescribed storage conditions.

Possibility of Hazardous Reactions **Conditions to Avoid**

Hazardous polymerization will not occur. Contact with incompatible materials.

Incompatible Materials

Strong acids. Strong bases.

Hazardous Decomposition Products

Metal oxides.

Page 3

11. TOXICOLOGICAL INFORMATION

Bioactive Glass Form S1000-04 Rev 6

Issue Date: 16-March-2018

Revision Date: 19-July-2018

Information on Likely Routes of Exposure

Ingestion No harmful effects expected in amounts likely to be ingested by accident.

Inhalation No inhalation hazard under normal conditions.

Contact with dust: May cause irritation to the respiratory system.

Skin contact May cause skin sensitization in hypersensitive individuals. Eye contact Direct contact with eyes may cause temporary irritation.

Symptoms Related to the Physical, Chemical and Toxicological Characteristics

Direct contact with eyes may cause temporary irritation.

Information on Toxicological Effects **Acute Toxicity**

Skin Corrosion/Irritation

May cause discomfort if swallowed. Dust may irritate skin.

Serious Eye Damage/Eye Irritation

Respiratory or Skin Sensitization

Direct contact with eyes may cause temporary irritation.

Respiratory Sensitization

No data available.

Skin Sensitization

Prolonged skin contact may cause dermatitis

Germ Cell Mutagenicity

No data available.

Carcinogenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or

OSHA.

IARC Mongraphs. Overall Evaluation of Carcinogenicity

Glass, oxide, chemicals (CAS 65997-17-3) 3 not classifiable as to carcinogenicity to humans

NTP Report on Carcinogens

Glass, oxide, chemicals (CAS 65997-17-3)

Reasonably anticipated to be a Human Carcinogen.

Reproductive Toxicity

Specific Target Organ Toxicity - Single Exposure

No data available. No data available.

Specific Target Organ Toxicity - Repeated Exposure

No data available. Not applicable

Aspiration Hazard

12. ECOLOGICAL INFORMATION

Ecotoxicity

Not expected to be harmful to aquatic organisms.

Persistence and Degradability

No data available

Bioaccumulative Potential

No data available.

Mobility in Soil

The product is not mobile in soil.

Other Adverse Effects

None known.

13. DISPOSAL CONSIDERATIONS

Disposal Instructions

Do not discharge into drains, water courses or onto the ground.

Local Disposal Regulations

Dispose in accordance with all applicable regulations.

Hazardous Waste Code

Not regulated. The waste code should be assigned in discussion between the user,

the producer and the waste disposal company.

Waste from Residues/Unused Products

Recover and recycle, if practical.

Contaminated packaging

Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

DOT IATA

Not regulated as dangerous goods. Not regulated as dangerous goods. Not regulated as dangerous goods.

IMDG

Transport in Bulk According to Annex II of MARPOL 73-78 and IBC Code

Not applicable.

15. REGULATORY INFORMATION

US Federal Regulations

This product is not hazardous according to OSHA 29CFR 1910-1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) CERCLA Hazardous Substance List (40CFR 302.4)

Not listed. Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazardous Categories

Immediate Hazard No **Delayed Hazard** No Fire Hazard No

Bioactive Glass Form S1000-04 Rev 6

Issue Date: 16-March-2018

Page 4

Revision Date: 19-July-2018

Pressure Hazard No Reactivity Hazard No

SARA 302 Extremely Hazardous Substance Not listed.

SARA 311/312 Hazardous Chemical

No No

SARA 313 (TRI reporting) Other Federal Regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Safe Drinking Water Act (SDWA)

Not regulated. Not Regulated.

US State Regulations

US Massachusetts RTK - Substance List

Aluminum oxide (CAS 1344-28-1)

Quartz (CAS 14808-60-7)

US New Jersey Worker and community Right-to-Know Act

Aluminum oxide (CAS 1344-28-1)

Quartz (CAS 14808-60-7)

US Pennsylvania worker and Community Right-to-Know Law

Aluminum oxide (CAS 1344-28-1)

Quartz (CAS 14808-60-7)

US Rhode Island RTK

Aluminum oxide (CAS 1344-28-1)

US- California Proposition 65-Carcinogens & Reproductive Toxicity (CTR): Listed substance

Quartz (CAS 14808-60-7)

Warning: This product contains chemical(s) known to the State of California to cause cancer and birth defects or other reproductive harm.

Internal Inventories

| Countries or Region | Inventory Name | On Investore t |
|---------------------------------|--|--|
| Canada | | On Inventory * |
| | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| United States & Puerto Rico | Toxic Substance control Act (TSCA) Inventory | NAME OF TAXABLE PARTY O |
| *A "ves" indicates this product | Toxic Substance control Act (TSCA) inventory | Yes |

*A "yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "no" indicates that one or more components of the products are not listed or except from listing on the inventory administered by the governing country(s).

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Issue Date Revision Date

16-March-2018 19-July-2018

Version

Further Information

The classification for health and environmental hazards is derived by a combination

of calculation methods and test data, if available.

NFPA Ratings

Bioactive Glass Form S1000-04 Rev 6

Issue Date: 16-March-2018

Page 5

Revision Date: 19-July-2018



Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available.

Bioactive Glass Form S1000-04 Rev 6 Issue Date: 16-March-2018

Page 6 Revision Date: 19-July-2018